

- 16.1** The hitches, and other parts of the Nomad Lanyards, may be replaced based on: regular replacement intervals, evidence of wear and tear, or due to failure at inspection or thorough examination.
- 16.2** The following instructions and pictograms show the only modifications approved by DMM, as well as some of the common incorrect modifications; it is impossible to predict them all. Do not alter or add to the equipment in any other way without prior written consent from DMM.
- 16.3** No responsibility will be accepted by DMM for damage, injury or death resulting from incorrect assembly or modification. If in doubt, contact DMM. Any person modifying this equipment assumes all risks and full responsibility for all damages or injury which may result from incorrect assembly or modification. This product may only be modified by a competent person
- 16.4** **IMPORTANT:** Please read and understand this information before modification.

Knots and hitches

17

17.1 Replacement Components


Product Name	Stock Code	Size (mm)	Length	Conformance (basket only)	Compatibility	Weight (g)
6.5mm Fidus Loop	RPC65-3T-BWG-255	6.5	25.5cm	EN795:2012 B PD CEN TS 16415:2013	RPS118-xxx-xx-x	81
6.5mm Fidus Loop	RPC65-3T-BWG-27	6.5	27cm	EN795:2012 B PD CEN TS 16415:2013	RPS128-xxx-xx-x	83
8.5mm Fidus Eye To Eye	RPC85-2-BWG-655	8.5	65.5cm	EN795:2012 B PD CEN TS 16415:2013	RPS118-xxx-xx-x	60
8.5mm Fidus Eye To Eye	RPC85-2-BWG-67	8.5	67cm	EN795:2012 B PD CEN TS 16415:2013	RPS128-xxx-xx-x	61
11.8mm Eye To Eye	RPL118-2-xx-x	11.8	3m, 4m, 5m, 7m, 10m, 15m, 20m	EN795:2012 B PD CEN TS 16415:2013	RPS118-xxx-xx-x	283, 361, 450, 621, 879, 1304, 1729
12.8mm Eye To Eye	RPL128-2-xx-x	12.8	3m, 4m, 5m, 7m, 10m, 15m, 20m	EN795:2012 B PD CEN TS 16415:2013	RPS128-xxx-xx-x	360, 458, 569, 786, 1115, 1665, 2215

11.8mm and 12.8mm Nomad Lanyards are certified with specific lengths of hitch. Reference the table above when replacing components.

17 Knots and hitches


17.2 Distel 5+1

(8.5mm Fidus Eye To Eye)




17.3 Schwabisch 5+1

(8.5mm Fidus Eye To Eye)




17.4 VT5+2


(8.5mm Fidus Eye To Eye)




17.5 Prusik

(6.5mm Fidus Loop)



17.6  Read section 16 - Modification - Warning before continuing! The following modifications may cause damage, injury or death.

17.7 How to tie a Single Stopper Knot. (11.8/12.8mm Eye To Eye)



17.8 Alpine Butterfly

(11.8/12.8 Eye To Eye)

